



















Screw conveyors INVIARE
Screw melters UNICO
Pumps ETERNO
Press FORMARE
Bracers BRAIDER
Conveyors ACQUA VIVO
Forming machines FORMARE

## **Innovative Solutions Leaders**







сироварня





















# Untypikal about company

We are not like typical equipment manufacturers.

We don't make standard offers and don't do typical work. Our team is a fusion of specialists from different fields who create a single integrated solution.

This structure offers our customers maximum flexibility and individuality in creating each specific project. Equipment is only a 1/3 of our day-to-day projects; the rest is working with technology at a deeper level. That's why we are the creators of "living" solutions!








## Click on the icon to watch the video

Сулугуни

Capacity	Up to 400\800 kg\h
Power	8\15 kW
Loading capacity	100\200 kg
Heat Conductor	Steam
Pressure	3-4 bar
Overall Sizes	2700x1750x3150 mm
	1700x870x1950 mm

# Screw conveyor (extruder) INVIARE







Capacity	250-450 kg\h
Thread thickness	5-15 mm
Heat Conductor	Steam\Water
Pressure	1,5-2 bar
Overall Sizes	1250x700x1850mm

# <u>Cheese mass shaper</u> <u>FORMARE - 2DS</u>



Моцарелла




Сулугуни



Пицца-сыр



Качокавалло





Click on the icon to watch the video

Capacity	До 600 kg\h
Power	1 kW
Dose Volume	200-1000 g
Heat Conductor	Steam\Water
Overall Sizes	1250x700x1850 mm

# Mozzarella rolls forming machine FORMARE MC-300



Мини моцарелла



Моцарелла



Качокавалло





Capacity	Up to 300 kg\h
Power	2,6 kW
Heat Conductor	Steam\Water
Pressure	3 bar
Overall Sizes	1300x1200x1200 mm

#### **Industrial Cheese Grate**

- Adapted for grating different types of cheese, as well as smooth operation in cheese factories;
- Protective device will prevent access to moving parts of the mechanism during operation;
- Waterproof construction meets all safety and hygiene requirements;
- ✓ Due to its simple design, all parts that come into contact with food can be easily disassembled for sanitization.





Capacity	Up to 300 kg\h
Power	2 kW
Material	Stainless steel

#### **Double-strand weigher**

- ✓ All units, including the frame, are made of food grade acid resistant stainless steel.
- Equipped with industrial controller synchronized with pneumatic dosing control system.
- Strain gauge system for each individual flow.
- Sequential dosing of the product will improve control and enable the calibration of dosing flows.
- ✓ Possibility to vary dose weight according to the specified container.








Capacity	Up to 300 kg\h
Power	1 kW
Number of feeds	2
Overall Sizes	1730x660x903mm

#### **Molding Machine FORMARE-1000**



Designed for acceptance of the curd mass, forming it into bed, whey removal and cutting of the cheese bed into bars.




Loading capacity	500-1000 kg
Seam thickness	80-240 mm
Volume	2500 l
Power	6-8 bar
Overall Sizes	6850x2500x2580 mm



Capacity	Up to 700 kg\h
Power	5 kW
Overall Sizes	1730x660x903 mm

# Milk Centrifugal Pump ETERNO-5K\10K





Capacity	5\10 CBM\h
Power	1,1\1,5 kW
Speed	1500\3000 RPM

# Customers and their products

Cheese and dairy products manufacturers

















































Seed, nut and snack product manufacturers









































Click on the icon to watch the video



Contact us:









+38 067 159 99 08

